

THE LATEST IN HIGH-TECHNOLOGY LUBRICATION

– ALL PRODUCTS ARE CERTIFIED AND BONDED BY THE MANUFACTURER'S 5 MILLION DOLLAR LIABILITY INSURANCE. –

ATF-III



V231127

Superior Protection

- Advanced corrosion and rust protection
- Minimizes sludge and varnish deposits

Excellent Stability

- Outstanding shear stability performance
- Excellent low temperature performance

Extended Life

- Long fluid life and anti-wear protection
- Protects transmission seal materials

ATF-III is a multi-purpose fluid suitable for older automatic transmissions, hydraulic systems, and power steering units. *ATF-III is NOT recommended for use in transmissions requiring GM DEXRON®-VI, Ford MERCON®-V and MERCON® SP fluids.*

MEETS OR EXCEEDS OEM PERFORMANCE STANDARDS

GRADE	Test Method	ATF-III
Color	Visual	Red
Viscosity @ 100°C, cSt	ASTM D445	7.0
Viscosity @ 40°C, cSt	ASTM D445	32.9
Viscosity Index	ASTM D2270	180
Pour Point, °C/°F	ASTM D97	-51 / -59.8
Flash Point, COC °C/°F	ASTM D92	204 / 399.2
API Gravity	ASTM D287	32.6
Brookfield Vis.cP @ -40°C	ASTM D2983	16200

- ▶ ALLISON TES-389
- ▶ ALLISON V-730D AND C-4
- ▶ CATERPILLAR TO - 2
- ▶ DEXRON® -IIH/G, -IIE, -II
- ▶ FORD M2C166H
- ▶ FORD MERCON®
- ▶ JASO M315-1A
- ▶ MAN TYPE 339 V1
- ▶ MAN TYPE 339 Z1
- ▶ MERCEDES-BENZ 236.1
- ▶ MERCEDES-BENZ 236.5
- ▶ VOITH 55.6335.32 (G607)

- ▶ ZF TE-ML 04D
- ▶ ZF TE-ML 14A
- ▶ ZF TE-ML 17C
- ▶ ZF TE-ML 03D

AVAILABLE IN

- ▶ 1-QUART
- ▶ 1-GALLON
- ▶ 5-QUART
- ▶ 6-GAL BAG-IN-BOX CARTON
- ▶ 5-GAL PAIL
- ▶ 55-GALLON DRUM AND BULK

Typical Characteristics Typical test data are average values only. Minor variations, which do not affect performance, may occur.

HANDLING AND SAFETY INFORMATION - Refer to OTOMAX (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.